

SUBJECT INDEX

Page numbers in *italics* refer to tables and figures.

- α-linolenic acid (ALA), 61, 159
- abuse, 95
- academic achievement. *See* scholastic achievement
- accelerometer, objective physical activity reporting, 16–17
- achievement, desire for, 11
- Action School! BC (AS! BC), 133
- adiposity. *See* fat
- “adult-onset” disease. *See* chronic disease
- aerobic activity. *See* physical activity
- affiliation, sense of, 11
- age, 14, 136
 - behavior performance to switch task, 80, 81, 81, 83
 - body composition, 54
 - decline in brain areas, 85
 - related recollection, 32
- aggression, 95
- Alzheimer’s disease, 60
- anencephaly, 59
- anxiety, 13, 58, 95, 103
- arachidonic acid (AA), 61–62
- athletics. *See* sports
- attention, 29
 - aerobic fitness, 34
 - brain function, 31, 38, 42
 - control, 73, 98, 122, 125
 - genetic markers, 106
 - impairments, 55
 - inattention, 94, 103, 104
 - resources, 37
 - selective, 27
 - span, 13, 73

- sustained, 56, 95
- tasks, 29, 63, 73, 75, 120
- attention-deficit/hyperactivity disorder (ADHD), 93, 94–95, 104, 132, 150
 - brain dysregulation, 105
 - challenges and limitations, 98–99
 - chronic physical activity behaviors, 97–98
 - neurobiological mechanisms, 105
 - nutritional deficiencies, 106, 107
 - single bout of physical activity, 95–97
- autism spectrum disorders (ASD), 93, 95, 99–101, 150
 - brain dysregulation, 105
 - challenges and limitations, 103–104
 - chronic physical activity behaviors, 102–103
 - genes, 106
 - group-based physical activity, 103–104
 - neurobiological mechanisms, 105
 - nutritional deficiencies, 106
 - rigidity, 101
 - self-confidence, 102
 - single bout of physical activity, 101–102, 103–104
 - stereotypical movements/behaviors, 101, 102, 104
- behavioral patterns
 - attention-deficit/hyperactivity disorder, 97–98
 - autism spectrum disorder, 101
 - correlates and determinants, 14–15
 - gender, 56
 - guidelines, 8
 - in response to flanker task, 79, 80, 81
 - on-task/off-task, 120, 125, 132
 - physical activity, 7–8
 - real-world, 41
 - trends, 7, 8–12
- blood
 - capillaries, 28
 - flow, 86, 156
 - plasma leptin, 87
 - pressure, 12
- blood oxygen level dependent (BOLD) response, 29, 38, 156
- body composition, 54, 72–92, 150
- body mass index (BMI), 52, 55, 56, 129, 138, 149
 - association with gray matter volume, 74, 85
 - increased, 12, 52, 54, 73

- bone health, 13, 119
- brain
- anterior cingulate cortex (ACC), 38, 85, 105
 - anterior insula, 31
 - anterior prefrontal cortex, 40
 - basal ganglia, 27, 28, 35–36, 85, 105
 - caudate nucleus, 31, 36
 - cerebellum, 86
 - circuits, 27
 - cortical processing regions, 28
 - cortical/subcortical structure, 27
 - corpus callosum, 54
 - development, 3, 25, 26–28, 58–61, 63, 73, 154
 - dorsal striatum, 35, 85
 - dysregulation, 105
 - experience-expectant vs. experience-dependent influences, 3
 - fornix fibers, 54
 - frontal, striatal, parietal regions, 27, 28, 29, 31, 33, 39, 40, 52, 85, 105
 - frontal cortex, 27, 28, 29, 60, 61
 - functional changes during development, 25, 29–32, 150
 - glia, 28
 - gliogenesis, 36
 - gray matter (GM), 28, 54, 56, 74, 84, 85
 - health, vii, 1–6, 51, 119–148, 149–152
 - hippocampus. *See* hippocampus
 - medial temporal lobe (MTL), 31, 32
 - motor region, 29
 - nucleus accumbens, 85
 - occipital cortex, 28
 - orbitofrontal cortex, 85
 - parahippocampal gyrus, 32
 - parietal and insular cortices, 27, 28, 31, 32, 85
 - physical activity and aerobic fitness, 33–39
 - prefrontal cortex, 31, 32, 55, 58, 60, 85, 87, 105, 156
 - right dorsolateral prefrontal cortex, 31
 - structural changes during development, 28–29
 - structure, 3, 25, 26, 27, 54, 60, 150
 - superior frontal (SFS)/intraparietal sulcus, 31, 85
 - temporal cortex, 28, 85, 105
 - vasculature, 33, 36
 - ventral striatum, 27, 35
 - white matter, 29, 54, 56
- brain-derived neurotrophic factor (BDNF), 33, 62, 86–87, 106

breakfast, 63
breast milk, 61

caloric intake/expenditure, 53, 87, 130, 136, 156
calorimetry, physical activity criterion standards, 17–18
cancer, 25, 72, 154
cardiovascular disease, 12, 54, 72, 119, 130, 154, 160
cardiorespiratory fitness, 12, 149

cell

- angiogenesis, 86
- apoptosis, 29
- dendritic branching, 29, 36, 86
- granular, 158, 159
- growth factors, 36
- neurogenesis, 86
- progenitor, 157, 158
- proliferation, 29, 36, 86
- response to exercise, 150
- stem, 157
- survival, 33

choice/control, perception of, 11

cholesterol, levels of, 12

choline, 59, 157, 158

chronic disease, vii, 12, 18, 25. *See also* obesity; diabetes, type 2

cognition

- association of adiposity and fitness with cognitive control, 72–92
- autism spectrum disorder, 101
- cognitive control, 25–50, 122–123, 125, 133, 134. *See also* inhibition
- cognitive flexibility, 72, 74, 82, 85
- cognitive health benefits, 13–14, 19
- cognitive processing speed, 37–38
- decline, 60
- effect of inactivity, vii
- flexibility, 52, 73, 77
- implications of obesity and nutrition, 51–73
- physical activity, vii, 1–6
- research, 119–148, 149–152

concentration, 13, 124, 132

control task, 29

coronary heart disease, 25

corticosteroid cascade, 157

daily functioning, impairments in, 94

- dairy products, high-fat, 107
- dementia, 54, 57
- depression, 13, 60, 94, 95, 119
- developmental disorder, 62, 93–118, 150. *See also specific disorder*
- diabetes
 - importance of physical activity, 25
 - type 2, vii, 2, 12, 72, 154, 160
- diary, subjective physical activity reporting, 15
- diet, 14, 86, 87, 137, 138, 155, 156
- diffusion tensor imaging (DTI), 54
- distractibility, 94
- docosahexaenoic acid (DHA), 61–62, 107
- dopamine, 106
- dopamine receptor gene, 87
- dopaminergic neurotransmitter (DATI), 106
- dual-energy X-ray absorptiometry (DXA), 74, 77, 78
- Dutch Hunger Winter, 160
- eating habits, 120. *See also diet; nutrition*
- echolalia, 100
- education, maternal, 56, 78, 81
- electroencephalogram (EEG), 36, 129
- emotion regulation, 56
- employment, parental, 11
- encoding and response selection, 31
- energy
 - balance, 51
 - dense food, 107
 - expenditure, 18, 130
 - malnutrition, 60
- environmental experience, 3, 19, 74, 154, 155
- epigenome, 155, 159
- error-related negativity (ERN), 55
- ethnicity, 154
- event-related potential (ERP), 36–38, 39, 40, 63
- executive control. *See cognition, cognitive control*
- exercise, use of term, 135–136
- externalizing disorder, 104
- family cohesiveness, 94–95, 129, 136, 138
- fat
 - association of adiposity and fitness with cognitive control, 72–92
 - central adiposity, 54–55, 63, 133, 150, 159

- distribution, 54–55
- free mass, 74, 79
- high-fat diet, 86, 87, 156
- mass index, 52
- saturated, 62, 107
- fatigue, 156
- fatty acid, 59, 159
 - abnormal, 107
 - long chain polyunsaturated fatty acid (LCPUFA), 61–62
- fetal programming, 156, 159–160
- Fitness Improves Thinking (FITKids), 133
- flax oil, 107
- focus. *See* inhibition
- folate levels, 59
- folic acid, 59
- food, 107, 154. *See also* diet; nutrition
- fun, 11, 15
- functional magnetic resonance imaging (fMRI), 29, 31, 32, 33, 36, 38–39, 40, 41

- gender, 136, 154
 - behavior performance to switch task, 80, 81, 81, 83
 - body composition, 54, 84
 - childhood obesity, 51
 - disorder, 103
 - overweight, 56
 - physical activity behaviors, 14, 136–137
 - physical activity guidelines, 9
- genetic makeup, 3, 74, 106
- genome adaption, 2
- gestational overnutrition/undernutrition, 160
- global development, 59, 60, 62
- glucose transport, 151, 155, 156, 157, 160
- glycemic index (GI), 63
- gut microbiota, 57–58, 63

- heart, 12, 130, 136
- hippocampus, 27, 28, 33, 34, 35, 36
 - anterior, 28, 32
 - decrease tissue volume, 85
 - dentate gyrus, 33, 86, 158
 - development, 52, 61
 - function, 58, 62, 157
 - neural circuit, 31

- neurogenesis, 155–157
 - posterior, 28
 - structure, 157–158
 - synaptic plasticity, 87
 - tissue volume, 105
 - vitamin D, 60
- heart rate monitor, objective physical activity reporting, 16
- human evolution, 4
- hyperactivity, 104, 107

- information processing, 98
- impulsiveness, 94, 95
- infant formula, 61, 62
- inhibition, 42, 52
 - control, 34, 38, 55, 56, 73, 74, 76, 82, 85, 96–97, 105, 151
 - flanker task. *See* task
 - response, 27, 29, 39
- insulin, 87
- insulin-like growth factor (IGF1), 86
- insulin resistance (IR), 54–55, 57, 62, 63
- intellectual stimulation/functioning, 26, 103
- intelligence quotient (IQ), 126
- interference suppression, 27
- internalizing disorder, 104
- interpersonal skills. *See* social involvement
- intrauterine/extra-uterine growth restriction, 159, 160
- iron deficiency, 60, 62, 156, 159

- jogging, 101, 103

- language development, 59, 60, 103
- latchkey kid, 154. *See also* safety
- learning, 32, 36, 58, 60, 62, 93–118, 151. *See also* scholastic achievement
- learning disability, 62. *See also specific disability*
- lifestyle adaption, 2, 4
- linolenic acid (LA), 61
- liver glycogen, 156
- log, subjective physical activity reporting, 15
- low-birth weight, 106

- manipulation, 27
- martial arts, 26
- maximal oxygen consumption (VO_xmax), 77–78

- measurement, physical activity, 7–8, 19
 - assessing interventions/programs/campaigns, 15, 19
 - criterion standards, 17–18
 - individual- and group-based, 15
 - objective methods, 16–17
 - patterns and trends, 15
 - subjective methods, 15–16
- meat, red/processed, 107
- medial temporal lobe (MTL cortices), 28
- medication. *See* pharmacological treatment
- memory, 32, 59, 62, 73, 96, 125, 151, 156, 158
 - declarative, 27, 157
 - effect of glucose, 157
 - encoding, 32
 - episodic, 28, 32, 59
 - formation, 87
 - importance of physical activity and aerobic fitness, 25–50
 - relational, 27, 32, 35, 36, 52, 157
 - short-term, 59
 - stress on, 155
 - tasks, 34, 36
 - visual spatial working, 31, 55, 59, 73
 - vitamin D, 60
 - working, 27, 31, 37, 40, 52, 55, 73, 74, 122
- menopause, 54
- mental flexibility, 55
- metabolic demand, 2
 - disorders, 2, 72
 - dysregulation, 2
 - syndrome, 54, 158
- methyl donor, 156, 157, 158
- motor control, 27, 35, 38–39, 60, 73, 102, 104, 134
- music, 3
- muscle
 - musculoskeletal health, 12
 - strengthening activities, 9
- myelination, 29, 59–60

- natural selection, 159
- neural tube defect (NTD), 59
- neuroimaging, 3, 36, 85, 105
- neurons, 3, 28, 41, 159
 - adaption, 3–4, 157–158

- default-mode network, 105
- fronto-parietal network, 105
- neural function, 3
- neural network, 3, 105
- neuronal activity, 37
- structures, 86
- neurotrophin, 33
- No Child Left Behind (NCLB), 122
- nutrition
 - cognition implications, 57–64, 106
 - habits, 4, 136, 137, 156
 - maternal, 157, 158, 159–160, 161
- obesity, vii, 2, 154, 160
 - adiposity level, 12
 - childhood, vii, 4, 52–55, 74, 149, 151
 - cognition implications, 54–58
 - deaths attributed to, 52
 - gut microbiota, 57–58
 - importance of physical activity, 25, 26, 106, 119
 - increase in, 52
 - public health campaigns, 52
 - statistics, 51–52
- observation (direct), physical activity criterion standards, 17–18
- omega-3 fatty acid, 107, 159
- over-activity, 94
- overweight, 4, 12, 56, 119
- Parkinson’s disease, 60
- pedometer, objective physical activity reporting, 16
- perception, 96, 99
- pharmacological treatment, 95, 96, 97, 98, 106, 150
- physical activity
 - aerobic activity, 13, 25–50, 72–92, 150
 - as function of environmental pressures, 2, 4
 - association of adiposity and fitness with cognitive control, 72–92
 - developmental disorders and learning, 93–118
 - effect on brain health, vii, 1–6
 - effect on cognitive control, 1–6, 25–50
 - effect on scholastic achievement, 1–6, 119–148
 - guidelines, 8, 18–19, 119
 - health-related benefits, 12–14
 - high-impact, weight-bearing activity, 13

- inactivity, vii, 2, 4, 26
- interventions/programs/campaigns, 15, 19, 39–41, 73, 84, 131, 136
- measurement and behavioral patterns, 7–24
- promoting, 19
- research, 119–148, 149–152
- test scores, 133
- trends, 8–12
- Physical Activity across the Curriculum (PACC), 133
- physical health benefits, 12–13, 19
- play, unstructured, 10–11, 32
- postnatal neurogenesis, 153, 155
- protein malnutrition, 60, 159
- psychological health, 129
 - benefits, 13, 19

- questionnaire, subjective physical activity reporting, 15–16

- recess, 102, 122, 132
- recollection, 32
- relational knowledge, 28
- research on physical activity and academic performance, 119–129
 - 1967–1999, 129–130
 - 1980–1989, 130–131
 - 1990–1999, 131–132
 - 2000–2009, 132–134
 - 2010–2012, 134–135
 - evolution of, 121
 - future directions, 127, 135–139, 149–152
 - process for systematic screening, 125, 125

- safety, 11, 153–155
- schizophrenia, 60
- scholastic achievement. *See also* learning
 - academic achievement tests, 13, 25, 129, 133
 - academic performance, 26, 55, 126, 129, 130, 135, 150
 - arithmetic, 54, 56
 - attendance statistics, 120, 124, 125, 140
 - autism spectrum disorder and classroom performance, 101, 102
 - effect of physical activity, 1–6, 25, 41, 121, 158
 - gender, 56
 - outcomes and obesity, 55–58, 73
 - reading, 54, 56
 - research, 119–148

- spelling, 54
- standardized tests, vii, 10, 120, 125, 151
- student performance, vii
- school systems
 - budgetary constraints, vii
 - curriculum reductions, 133
 - interventions. *See* physical activity, interventions/programs/campaigns
 - physical activity minimized, vii, 2, 122, 139
 - physical education, 7, 9–10, 19, 102, 122, 133
- sedentary behaviors, 7, 11–12, 14, 18, 103, 120, 138, 153–154, 158, 160–161
- self-concept, 131
- self-control. *See* inhibition
- self-esteem, improved, 11, 13, 19, 130–131
- sensory processing, 100
- serotonin, 158
- sex. *See* gender
- sexual maturation and body composition, 54
- sleep, 120
- “slothfulness,” 159
- smoking, 160
- social involvement, 11, 15, 19, 56, 94, 98, 99, 100, 101, 102, 103, 104
- socioeconomic status, 14, 15, 19, 78, 51, 129, 136, 137, 154, 155, 158, 160
- sodium, 107
- soft drinks, 107
- spectrum disorders, 100. *See also* autism spectrum disorder
- speech. *See* verbal communication
- spina bifida, 59
- sports, 3, 11, 14, 99, 130, 131, 136, 155
- Sports, Play and Active Recreation for Kids (SPARK), 131
- stress, 155, 160
- stretching/toning program, 34
- substance experimentation, 95
- sugar, 62, 86, 107, 156
- sunshine, 158. *See also* Vitamin, D
- synapses, 3, 29
 - plasticity, 33, 86, 87, 158
- Takeout foods, 107
- task
 - Eriksen flanker, 76–77, 76
 - flanker, 72, 75, 79, 80, 81, 82, 82, 83
 - NoGo, 55
 - set representation, 27

- switching, 27, 72, 75, 76, 77, 80, 81, 81, 82, 82
- technology and sedentary behaviors, 8, 11–12
- tests. *See* scholastic achievement
- thalamus, 31
- thrifty gene hypothesis, 159
- transport, active, 7, 8, 11, 155

- utero toxin, 106

- vascular endothelial growth factor (VEGF), 86
- verbal communication, 62, 73, 99–100
- visual acuity, 62
- visual
 - search, 98
 - spatial organization, 55, 73
- vitamin
 - A, 157
 - B12, 59
 - C, 107
 - D, 60, 106–107, 158
 - deficiencies, 107
 - synthesis, 153, 155

- water (doubly labeled), physical activity criterion standards, 17
- weight maintenance, 12, 15, 73, 84
- well-being, 8, 12, 15

- yoga/mindfulness, 26

- zinc, 60